

WOOD

SeiCom range of wooden products consists of four main product groups: windows, doors, sliding doors and folding doors which all are available in SeiCom Classic (78mm) and SeiCom Premium (92mm) frame qualities. Our wooden windows and doors are made from engineered timber: pine (finger jointed and laminated), oak (laminated) and meranti (laminated). Engineered timber improves the thermal insulation value as well as improves the strength of the frame, making it less receptive to any kind of twisting or warping. Both frames are available with an aluminum cladding option making the windows and doors especially weather resistant. All described windows and doors are available in a wide range of stains or paints. The inside and outside of the frame can be finished in different treatments.

WINDOWS

European type 

DOORS

Terrace 

Balcony 

Front 

SLIDING AND FOLDING DOORS

Lift & Slide (HST) 

Tilt & Slide (PSK) 

Folding 



WOODEN EUROPEAN TYPE WINDOWS

SeiCom inwards opening tilt and turn windows come with micro-ventilation function as a standard. The range consists of SeiCom Classic IV78 and SeiCom Premium IV92 frame qualities. Both options are available with fire resistance class EI30 for single opening and non-opening units. All wooden windows are fitted with painted aluminium water drip-bar on the outside. The SeiCom Classic IV78 frame can be combined with three glazing options (double glass, triple glass and triple glass Energy) and SeiCom Premium IV92 with two glazing options (triple glass and triple glass Energy).



Glazing	Double glazed	Triple glazed	Triple glazed Energy
Argon gas-filled	Yes	Yes (2x)	Yes (2x)
Selective glass	External glass	Middle glass	Internal and external glass
Glazing spacer	Aluminum	Double Aluminium	Chromatec Ultra



SeiCom Classic (IV78)

Construction depth	U-value	U-value	U-value
78 mm	1.4	0.98	0.74
	W(m ² K)	W(m ² K)	W(m ² K)
Double gasket Pine / Oak / Meranti Siegenia hardware			



SeiCom Premium (IV92)

Construction depth	U-value	U-value	U-value
92 mm	—	0.86	0.73
		W(m ² K)	W(m ² K)
Double gasket Pine / Oak / Meranti Siegenia hardware			



SeiCom Classic FIRE (IV78)

Construction depth	U-value	U-value	U-value
78 mm	1.4	0.98	0.74
	W(m ² K)	W(m ² K)	W(m ² K)
Double gasket Pine / Oak Siegenia hardware Fire rated EI30			



SeiCom Premium FIRE (IV92)

Construction depth	U-value	U-value	U-value
92 mm	—	0.86	0.73
		W(m ² K)	W(m ² K)
Double gasket Pine / Oak Siegenia hardware Fire rated EI30			

The U-value calculation is based on closed window unite size 1230x1480 mm



ALUMINIUM CLAD WOODEN WINDOWS

SeiCom wooden European type window range is also available with aluminium cladding on the outside. The aluminium cladding makes the windows especially resistant to all kinds of weather conditions. The aluminium cladding is easy to clean and more resistant to mechanical damages.



Glazing	Double glazed	Triple glazed	Triple glazed Energy
Argon gas-filled	Yes	Yes (2x)	Yes (2x)
Selective glass	External glass	Middle glass	Internal and external glass
Glazing spacer	Aluminum	Double Aluminium	Chromatec Ultra



SeiCom Classic (IV78)

Construction depth	U-value	U-value	U-value
78 mm	1.4	0.98	0.74
	W(m ² K)	W(m ² K)	W(m ² K)
Double gasket			
Pine / Oak / Meranti			
Siegenia hardware			



SeiCom Premium (IV92)

Construction depth	U-value	U-value	U-value
92 mm	—	0.86	0.73
		W(m ² K)	W(m ² K)
Double gasket			
Pine / Oak / Meranti			
Siegenia hardware			



SeiCom Classic FIRE (IV78)

Construction depth	U-value	U-value	U-value
78 mm	1.4	0.98	0.74
	W(m ² K)	W(m ² K)	W(m ² K)
Double gasket			
Pine / Oak			
Siegenia hardware			
Fire rated			
EI30			



SeiCom Premium FIRE (IV92)

Construction depth	U-value	U-value	U-value
92 mm	—	0.86	0.73
		W(m ² K)	W(m ² K)
Double gasket			
Pine / Oak			
Siegenia hardware			
Fire rated			
EI30			

The U-value calculation is based on closed window unite size 1230x1480 mm



WOODEN AND ALUMINIUM CLAD DOORS

Our range of wood and aluminium clad wooden doors offers a wide variety of practical and functional options, such as different thresholds, handle and locking options.



SeiCom Classic (IV78)

Construction depth
78 mm
Double gasket
Pine / Oak / Meranti

SeiCom Premium (IV92)

Construction depth
92 mm
Double gasket
Pine / Oak / Meranti

SeiCom Classic ALU (IV78)

Construction depth
78 mm
Double gasket
Pine / Oak / Meranti

SeiCom Premium ALU (IV92)

Construction depth
92 mm
Double gasket
Pine / Oak / Meranti

BALCONY DOORS



Profile system	Treshold	Wheelchair accessible	Opening	Wind stop/catch	Cylinder lock
SeiCom Classic (IV78)	Wood profile	–	In	No	–
SeiCom Premium (IV92)	Wood profile	–	In	No	–
SeiCom Classic ALU (IV78)	Wood profile	–	In	No	–
SeiCom Premium ALU (IV92)	Wood profile	–	In	No	–

IPA / ASSA / ABLOY hardware

TERRACE DOORS



SeiCom Classic (IV78)	Low Aluminium	Yes	In or Out	Yes	Optional
SeiCom Premium (IV92)	Low Aluminium	Yes	In or Out	Yes	Optional
SeiCom Classic ALU (IV78)	Low Aluminium	Yes	In or Out	Yes	Optional
SeiCom Premium ALU (IV92)	Low Aluminium	Yes	In or Out	Yes	Optional

IPA / ASSA / ABLOY hardware



WOODEN TILT & SLIDE (PSK) AND FOLDING DOORS




The SeiCom tilt and slide and folding door range offers a versatile choice of different opening schemes which allow unlimited options for use.

TILT AND SLIDE (PSK) DOORS











Threshold	Opening	External handle and lock
–	Tilt and slide inwards	Optional extra Not available (ALU)



OPENING SCHEMES



FOLDING DOORS



U-value from
0.74
W(m²K)

SeiCom
Classic (IV78)


Construction depth
78 mm
Double gasket
Pine / Oak / Meranti
Siegenia hardware



U-value from
0.7
W(m²K)

SeiCom
Premium (IV92)


Construction depth
92 mm
Double gasket
Pine / Oak / Meranti
Siegenia hardware



U-value from
0.74
W(m²K)

SeiCom
Classic ALU (IV78)

Construction depth
78 mm
Double gasket
Pine / Oak / Meranti
Siegenia hardware



U-value from
0.7
W(m²K)

SeiCom
Premium ALU (IV92)

Construction depth
92 mm
Double gasket
Pine / Oak / Meranti
Siegenia hardware



WOODEN LIFT & SLIDE (HST) DOORS

SeiCom lift and slide doors offer lots of light and design freedom. They are practical to use and at the same time present an excellent thermal insulation value.



SeiCom Wood HST (IV78)

Construction depth
184 mm
Double gasket
Pine / Oak / Meranti
Siegenia hardware

U-value from
0.74
W(m²K)

Treshold	Wheelchair accessible	Opening	External handle and lock
Low Aluminum	Wheelchair accessible	Parallel slide	Optional extra



SeiCom Wood ALU HST (IV78)


Construction depth
216 mm
Double gasket
Pine / Oak / Meranti
Siegenia hardware

U-value from
0.74
W(m²K)


Treshold	Wheelchair accessible	Opening	External handle and lock
Low Aluminum	Wheelchair accessible	Parallel slide	Optional extra




OPENING SCHEMES



A



C



G-A

WOODEN FINISH OPTIONS

SeiCom is very proud to offer hand finished wooden windows and doors. The windows and doors are dip treated against blue stain and mould. Sanded two times – before and after the base layer of paint is applied. The final finish coating is applied by hand and all joints will be filled with special filler to prevent any kind of moisture penetration. For the final finishing we offer the full classic RAL color chart and dozens of wood stains to choose from. Of course the interior and exterior can be a different color or stain. This versatile choice of finishes offers flexibility for even the most demanding interior design.

RAL color chart

Wood and aluminum clad windows and doors can be ordered in all colors from RAL color chart.



Selection of stains

We offer a wide range of wood stains for windows and doors.

